


Docket No.: 396542


### Amendments to the Claims:

The claims are amended as follows:

1. (Currently Amended) An *in vivo* agricultural plant fertilizer comprising enhanced  
5 growth stimulating effective amounts of at least a first salt having the following formula:



and a second salt having the following formula:



where  $R_1$  is selected from the group consisting of H, K, an alkyl radical containing from  
20 1 to 4 carbon atoms, halogen-substituted alkyl or nitro-substituted alkyl radical, an  
alkenyl, halogen-substituted alkenyl, alkynyl, halogen-substituted alkynyl; alkoxy-  
substituted alkyl radical, and ammonium substituted by alkyl or hydroxy alkyl radicals;

$R_2$  and  $R_3$  are selected from the group consisting of H and K;

Me is selected from the group consisting of K, alkaline earth metal cations, aluminum  
25 atom, and ammonium cation; and

$n$  is a whole number from 1 to 3, equal to the valence of Me,

wherein said composition comprises an aqueous solution, each said first and second  
salt being present in solution from about 0.25% vol./vol. to about 5% vol./vol.

Page 4 of 18

BLDRDOCS 90145v1

Docket No.: 396542

2. (Currently Amended) An *in vivo* ~~agricultural plant~~ fertilizer comprising:  
enhanced growth stimulating effective amounts of at least a first salt selected from the  
group consisting of  $\text{KH}_2\text{PO}_3$ ,  $\text{K}_2\text{HPO}_3$ ,  $\text{K}_3\text{PO}_3$ ,  $\text{NH}_3\text{H}_2\text{PO}_3$ , and  $(\text{NH}_3)_2\text{HPO}_3$  and a  
second salt selected from the group consisting of  $\text{KH}_2\text{PO}_4$ ,  $\text{K}_2\text{HPO}_4$ , and  $\text{K}_3\text{PO}_4$   
5 wherein the amount of said first salt is one part by weight and the amount of said  
second salt is between 0.001 and 1.000 parts by weight.
3. (Currently amended) A method of stimulating growth and controlling fungus  
disease in plants comprising applying to the plants in growth stimulating effective  
amounts a composition according to claim 1, comprising:
- 10 (a) an aqueous solution of  $\text{H}_3\text{PO}_3$  and KOH, and  
(b) an aqueous solution of monopotassium phosphate and KOH.
4. (Previously Added) The method according to claim 3, wherein said composition  
comprises an aqueous solution wherein the amount of potassium phosphonate in said  
aqueous solution (a) and the amount of potassium phosphate in said aqueous solution  
15 (b) is each present in said composition in an amount from about 0.25 % vol./vol. to  
about 5 % vol./vol.,
5. (Previously Added) The method according to claim 3, wherein said composition  
comprises an aqueous solution wherein the amount of potassium phosphonate  
prepared from solution (a) in said composition is one part by weight and the amount of  
20 potassium phosphate prepared from solution (b) in said composition is between 0.001  
and 1,000 parts by weight.
6. (Currently amended) A method of stimulating growth and controlling fungus  
disease in plants comprising applying to the plants in growth stimulating effective  
amounts a composition according to claim 1 that is prepared by mixing:
- 25 (a) an aqueous solution of  $\text{H}_3\text{PO}_3$  and KOH, and  
(b) an aqueous solution of monopotassium phosphate and KOH.
7. (Previously Added) The method according to claim 6, wherein said composition  
comprises an aqueous solution wherein the amount of potassium phosphonate in said  
aqueous solution (a) and the amount of potassium phosphate in said aqueous solution

Docket No.: 396542

(b) is each present in said composition in an amount from about 0.25 % vol./vol. to about 5 % vol./vol..

8. (Previously Added) The method according to claim 6, wherein said composition comprises an aqueous solution wherein the amount of potassium phosphonate prepared from solution (a) in said composition is one part by weight and the amount of potassium phosphate prepared from solution (b) in said composition is between 0.001 and 1,000 parts by weight.

9. (Currently amended) A method of stimulating growth and controlling fungus disease in plants comprising applying to the plants in growth stimulating effective amounts a composition according to claim 1, comprising:

- (a) an aqueous solution of  $H_3PO_3$  and KOH, and
- (b) an aqueous solution of dipotassium phosphate.

10. (Previously Added) The method according to claim 9, wherein said composition comprises an aqueous solution wherein the amount of potassium phosphonate in said aqueous solution (a) and the amount of dipotassium phosphate in said aqueous solution (b) is each present in said composition in an amount from about 0.25 % vol./vol. to about 5 % vol./vol..

11. (Previously Added) The method according to claim 9, wherein said composition comprises an aqueous solution wherein the amount of potassium phosphonate prepared from solution (a) in said composition is one part by weight and the amount of dipotassium phosphate in solution (b) in said composition is between 0.001 and 1,000 parts by weight.

12. (Currently amended) A method of stimulating growth and controlling fungus disease in plants comprising applying to the plants in enhanced fungicidally effective amounts a composition according to claim 1 that is prepared by mixing:

- (a) an aqueous solution of  $H_3PO_3$  and KOH, and
- (b) an aqueous solution of dipotassium phosphate.

13. (Previously Added) The method according to claim 12, wherein said composition comprises an aqueous solution wherein the amount of potassium

Docket No.: 396542

phosphonate in said aqueous solution (a) and the amount of dipotassium phosphate in said aqueous solution (b) is each present in said composition in an amount from about 0.25 % vol./vol. to about 5 % vol./vol..

14. (Previously Added) The method according to claim 12, wherein said  
5 composition comprises an aqueous solution wherein the amount of potassium phosphonate prepared from solution (a) in said composition is one part by weight and the amount of dipotassium phosphate in solution (b) in said composition is between 0.001 and 1,000 parts by weight.